
RECREATING TWITTER: OUR PROCESS

A project by Amir Sharifi, Edgar Townsend, Kristy Hoffman, Ilnaz Alizadeh Ghannad, and Hossein Parsa



BACKGROUND: HIGH-LEVEL VIEW



The purpose of our project, Twitter clone, was to build the microblogging and social networking platform from scratch.

In the real world, Twitter exists to give people the opportunity to share messages with large audiences and connect with others.

SOLUTION OVERVIEW


Features and functionalities

Users may sign in (Google), write and post tweets, delete tweets $({}^{{}^{\mathrm{D}}\mathsf{E}_{\mathrm{L}}}$... Ye must learn this function O, and comment on the tweets of others.

SOLUTION OVERVIEW


Other capabilities include, but are not limited to:





Home # Explore Sign in

Home



Q Search Twitter

*

Whats happening

Bill Gates questions Elon Musk's goals with Twitter: 'He could make it worse' - CNBC CNBC



Fed's Powell calms recession jitters with rebuff of 75-basis point rate hike - Fox **Business** Fox Business



Buffett's Berkshire buys more Occidental shares - Fox Business Fox Business



Who to follow

redcat226 Victor Brar



John West







Follow

Follow



OOGLE SIGN IN

This app is created for my final project

Sign in with Google



Home 6

Explore

- Notifications 0
- Messages
- Bookmarks
- C Lists
- 8 Profile
- (\cdots) More






ilnaz alizadeh @ilnazalizadeh - 7 days ago

...

Winter is the coldest season of the year in polar and temperate clim ates. It occurs after autumn and before spring. The tilt of Earth's axi s causes seasons; winter occurs when a hemisphere is oriented aw ay from the Sun. Different cultures define different dates as the star t of winter








Q Search Twitter

Whats happening

Bill Gates questions Elon Musk's goals with Twitter: 'He could make it worse' -CNBC CNBC













Fox Business




twitter-ruby.vercel.app/profile



twitter-ruby.vercel.app/followers




TECHNOLOGIES USED



React

CHALLENGES AND SOLUTIONS

We used several interesting technologies that challenged us, and ultimately helped us grow as developers.



Unit Testing (Jest & React Testing Library)

	import React from 'react'	
	<pre>import {timeConverter} from "/util/util";</pre>	
	<pre>describe('timeConvertor', () => {</pre>	
<pre>import React from 'react' import {render} from '@testing-library/react' import UserRow from '/components/userRow' describe('userRow', () => {</pre>	<pre>it('convert unix base time to date', () const seconds = 1669688658 const result = timeConverter(seconds expect(result).toBe('28 Nov 2022')</pre>	
<pre>it('renders a user', () => { const user = { id:'55555', img:'/avatar.png', name:'Admin',</pre>	}) })	<pre>> twitter@0.1.0 test > jest</pre>
<pre>username:'@Admin01' } const _render = render(<userrow const="" text="_render.getByText('Admin</pre" user="{"></userrow></pre>		<pre>PASStests/timeConvertor.test.js PASStests/UserRow.test.jsx</pre>
<pre>expect(text).toBeInTheDocument() }) })</pre>		Test Suites: 2 passed, 2 total Tests: 2 passed, 2 total Snapshots: 0 total Time: 5.207 s

Unit Testing

Whats happening

Bill Gates questions Elon Musk's goals with Twitter: 'He could make it worse' - CNBC CNBC



Fed's Powell calms recession jitters with rebuff of 75-basis point rate hike - Fox Business



Fox Business

Buffett's Berkshire buys more Occidental shares - Fox Business Fox Business



Show more

Bill Gates questions Elon Musk's goals with Twitter: 'He could make it worse'

PUBLISHED THU, MAY 5 2022-3:17 AM EDT | UPDATED THU, MAY 5 2022-1:31 PM EDT

Sam Shead

share f 🎐 in 🖴

KEY The Microsoft co-founder said at the Wall Street Journal's CEO Summit Wednesday that it's unclear how Elon Musk will change Twitter if he takes ownership.

A TV Fast Money Halftime Report UP NEXT | The Exchange 0:00 pm ET Usen

 The tech billionaire's comments come after Musk accused him of shorting Tesla stock last month.

Musk also tweeted a crude joke about Gates.

In this article

TWTR +0.35 (+0.00%)

Follow your favorite stocks CREATE FREE ACCOUNT

TRENDING NOW



This 28-year-old built a side hustle that brings in \$30,000/month: 'I only have to work 6 hours a week'



The easiest way to travel full time? See what a 28year-old paid for an apartment on a cruise ship



Carvana shares tank as bankruptcy concerns grow for used car retailer



Live updates Ukraine war: Putin says Russia's war could be 'lengthy'; Pope compares war to Nazis

Speaking at the at the Wall Street Journal's CEO Summit Wednesday, Gates asked of Elon Music "How does he feel about something [on Twitter] that says 'vaccines kill people' or that 'Bill Gates is tracking people?"

Unit Testing

1)

	> twitter@0.1.0 test > jest
<pre>import React from 'react' import {render} from '@testing-library/react' import News from '/components/News'</pre>	PASS PASS PASS PASS_tests_/timeConvertor.test.js
<pre>describe('news', () => { it('render news row', () => { let article = { url : 'https://www.cnbc.com/2022/05/05/bill-gates-says-elon-musk-could-make-twitter-worse.html', title:'Bill Gates questions Elon Musk\'s goals with Twitter: \'He could make it worse\' - CNBC', source:{ name:'cnbc' }, urlToImage:'https://image.cnbcfm.com/api/v1/image/107017517-1645200499603-gettyimages-1236298089-jm }</pre>	Test Suites: 3 passed, 3 total Tests: 3 passed, 3 total Snapshots: 0 total Time: 4.975 s Ran all test suites. 1_6693.jpeg?v=1651738132&w=1920&h=
<pre>const _render = render(<news article="{article}/">); const text = _render.getByText('Bill Gates questions Elon Musk\'s goals with Twitter: \'He could make expect(text).toHaveAttribute('href', 'https://www.cnbc.com/2022/05/05/bill-gates-says-elon-musk-could-m))</news></pre>	

State Management



npm install recoil

_app.	s	×	
ages >	JS	_app	js ≻ 😚 App
46		<	SessionProvider session={session}>
47			<recoilroot></recoilroot>
48 >			<head></head>
52			
53			<pre><div classname="flex"></div></pre>
54			<pre><main< pre=""></main<></pre>
55			<pre>className={`flex min-h-screen mx-auto \${</pre>
56			<pre>router.pathname === "/auth/signin" && "justify-center"</pre>
57			
58			
59			{/* Sidebar */}
60			<pre>{router.pathname !== "/auth/signin" && <sidebar></sidebar>}</pre>
61			<component {pageprops}=""></component>
62			
63			{/* Widgets */}
64			<pre>{router.pathname !== "/auth/signin" &&</pre>
65			newsResults &&
66			randomUsersResults && (
67 68			<pre></pre>
69			<pre>newsResults={newsResults.articles} randomUsersResults={randomUsersResults.results}</pre>
69 70			
71			
72			// {/* Modal */}
73			<pre><commentmodal></commentmodal></pre>
74			
75			
76			
77	<pre></pre>		
78); ^{``}	
79	}	v v	
	5		

State Management



>	File Edit Selection View Go Run	Terminal Help	modalAtom	js - 20221206 - Visual Studio Code
Ð	EXPLORER	us modalAtom.js ×	□ …	userAtom.js Js CommentModal.js ×
	> OUTLINE	atom > 🥨 modalAtom.js > 🕼 modalState		components > Js CommentModal.js >
0	> TIMELINE	<pre>1 import { atom } from "recoil";</pre>		<pre>1 import { useRecoilState } from "recoil";</pre>
~	✓ 20221206	<pre>2 export const modalState = atom({</pre>	Janan a an	<pre>2 import { modalState, postIdState } from "/atom/modalAtom";</pre>
90	∽ 🗁 atom	3 // for comments		<pre>3 import Modal from "react-modal";</pre>
ુરુ	Js modalAtom.js	4 key: "modalState", // unique ID (with respect to othe		<pre>4 import { useRouter } from "next/router";</pre>
~		5 default: false, // default value (aka initial value)		5
_a⊳	✓ Image components	6]);		6 import {
_	Bookmark is			7 EmojiHappyIcon,
B	Js Comment.js	8		8 PhotographIcon, 9 XIcon.
	Js CommentModal.js	<pre>9 export const profileModalState = atom({ 10 key: "profileModalState", // unique ID (with respect</pre>		<pre>9 XIcon, 10 } from "@heroicons/react/outline";</pre>
	Js Feed.js	11 default: false, // default value (aka initial value)		11 import { db } from "/firebase";
	Js Follow.js	12 });		12 import {
0	Js FollowTabs.js	13		13 addDoc,
U	35 Input.js	14		14 collection,
	35 ModalProfile.js	<pre>15 export const postIdState = atom({</pre>		15 collectionGroup,
\bigcirc	Js News.js	16 key: "postIdState", // unique ID (with respect to oth		16 doc,
	Js Post.js	<pre>17 default: "id", // default value (aka initial value)</pre>		17 onSnapshot,
	Js Profile.js	18 });		18 serverTimestamp,
	Js ProfileModal.js	19		<pre>19 } from "firebase/firestore";</pre>
				<pre>20 import { useEffect, useState } from "react";</pre>
	35 SidebaeMenuItem.js			21 import Moment from "react-moment";
	us Sidebar.js			<pre>22 import { userState } from "/atom/userAtom"; 23 import EmojiPicker from "emoji-picker-react":</pre>
				23 import EmojiPicker from "emoji-picker-react"; 24
	Js Trending.js			25
	Js TrendingTest.js			26
	userRow.js			27 export default function CommentModal() {
	Js Widgets.js			<pre>28 const [open, setOpen] = useRecoilState(modalState);</pre>
	> pages			<pre>29 const [currentUser] = useRecoilState(userState);</pre>
	> opublic			<pre>30 const [postId] = useRecoilState(postIdState);</pre>
	> 📑 styles			<pre>31 const [post, setPost] = useState({});</pre>
	> 🖿 util			<pre>32 const [input, setInput] = useState("");</pre>
	tt .env.local			<pre>33 const [openEmojiPicker,setOpenEmojiPicker] = useState(false)</pre>
	 eslintrc.json 			34 const router = useRouter();
	🚸 .gitattributes			35

Tailwind CSS

Working with Tailwind CSS was an exercise in adaptation. It required us to differentiate between Tailwind-specific keywords and traditional CSS syntax:

```
.button {
   background-color: #4CAF50; /* Green */
   border: none;
   color: white;
   padding: 15px 32px;
   text-align: center;
   text-decoration: none;
   display: inline-block;
   font-size: 16px;
}
```

<button class="h-10 px-6 font-semibold rounded-md bg-black text-white" type="submit"

Creating a button with Tailwind CSS


Firebase

↑ > posts > qndoiEoq0sxT1..

🛆 More in Google Cloud 🗸

😤 twitter-v5	🕒 posts 🛛 \Xi 🗄	gndoiEoq0sxT1TH1FCj9
+ Start collection	+ Add document	+ Start collection
posts >	KrCvq5eFM0JjDLadCQcH	comments
users	OET9ihDFTJpdjhNzq15d	likes
	QEeNNBRgYgfy1aAsGblQ	
	neCYuQcrsfNAxJGj8zz5	
	q884hx00ilqhKOKkErnq	
	qndoiEoq0sxT1TH1FCj9 >	
	zuBglNoc1pxU5avNrBWr	+ Add field
		id: "109518711131673132063"
		image: "https://firebasestorage.googleapis.com/v0/b/twitter- v5.appspot.com/o/posts%2FqndoiEoq0sxT1TH1FCj9%2Fimage? alt=media&token=5973a22c-499f-4187-983d-020f2a067e1c"
		isBookmarked: false
		name : "Edgar Townsend"
		text: "Alien Dinosaur War Robot"
		timestamp: 7 December 2022 at 09:09:07 UTC-5
		userImg: "https://lh3.googleusercontent.com/a/AEdFTp5- ElEFI1cFenLNhNS4_umZagn4dyey3pgYnCBv=s96-c"
		username: "edgartownsend"

Firebase



Authentication

We were using NextAuth.js, and it used session for authentication.

Our challenge was to pass the Google token, and our solution was to convert NextAuth.js to FirebaseAuth to retrieve it from the database.

We learned that the token is managed by Recoil, which treats login/logout as a "door."

Authentication


	<pre>2 import { getAuth, signInWithPopup, GoogleAuthProvider } from "firebase/auth"; 3 import { doc, getDoc, serverTimestamp, setDoc } from "firebase/firestore"; 4 import { weePowter } from "newt(newter";</pre>
<pre>ages > api > auth > JS [nextauth].js > [@] default > // callbacks > ③ session 1 import NextAuth from "next-auth" 2 import GoogleProvider from "next-auth/providers/google" 3 4 export default NextAuth ({ 5 // Configure one or more authentication providers 6 providers: [7 GoogleProvider({ </pre>	<pre>4 import { useRouter } from "next/router"; 5 6 export default function Signin() { 7 8 const router = useRouter(); 9 0 const onGoogleClick = async()=> { </pre>
<pre>8 clientId: "911523746943-c6kj86knf5t57dflh73jv9oek7l 9 clientSecret: "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" 10 }), 11 //add more providers here 12], 13 14 pages:{ 15 signIn:"/auth/signin", 16</pre>	
17 },	<pre>export default function Input() { const [currentuser, setCurrentUser] = useRecoilState(userState); const [input, setInput] = useState(""); const [selectedFile, setSelectedFile] = useState(null); const [loading, setLoading] = useState(false); const filePickerRef = useRef(null); const auth = getAuth(); </pre>

FUTURE WORK

(년 🖞 🛧 📓 🛧 🔲 🕦

← → C

 in twitter.com/explore/tabs/trending



With more time, we would add the following:

Search by hashtag # Private messaging 💬 **Curating account** recommendations based on users' interest and data

https://twitter.com/explore/tabs/trending

SUMMARY

Originally, our team set out to build a near-exact replica of Twitter, the microblogging and social networking platform. We fulfilled most of our aspirations, and even added Google sign in capabilities.

In addition to the technologies, we anticipated needing, we also worked with React, Recoil, and Vercel. Twitter recreation project proposal

Title: Twitter clone (temporary name)

Team members: Ilnaz Alizadeh Ghannad, Kristy Hoffman, Hossein Parsa, Amir Sharifi, Edgar Townsend

Project description: Twitter clone is a web application that connects users by providing an online space for them to create posts of 280 characters or less and identify their topics with hashtags.

Users are required to register and log in to the app using an email address and password. Their capabilities include creating, editing, and deleting posts, as well as reacting to others' posts by liking and/or commenting on them.

All posts must be 280 characters or less, may include images, and users may define their topic(s) by using hashtags.

Users are also capable of browsing their news feed and reviewing a list of accounts the application predicts they may want to follow.

Technologies:

- TailWind CSS
- Next.js
- Firebase